



ALTERNATE NO.5  
FIXTURE TYPE L

ALTERNATE NO.5  
FIXTURE TYPE L

ALTERNATE NO.5  
FIXTURE TYPE L

1 FOURTH FLOOR PLAN LIGHTING  
1/8"=1'-0"

- NOTES
1. REFER TO DWGS. E500, E501 AND E502 FOR PANEL SCHEDULES.
  2. REFER TO DWG. E000 FOR SYMBOL LIST AND FIXTURE SCHEDULE.
  3. REFER TO DWG. E300 FOR SINGLE LINE DIAGRAM.
  4. REFER TO DWG. E301 FOR EMERGENCY LIGHTING PANEL, WIRING DIAGRAMS AND SCHEDULES.
  5. REFER TO ARCHITECTURAL REFLECTED CEILING PLANS FOR FINAL LOCATION OF LIGHTING.
  6. OPEN MECHANICAL AREA - FIXTURE TYPE N - MOUNT 10'0" ABOVE FINISHED FLOOR.
  7. REFER TO ARCHITECTURAL DRAWINGS FOR MOUNTING HEIGHT OF FIXTURE TYPE.
  8. OCCUPANCY SENSOR LOCATED IN EACH CLASSROOM TO CONTROL LIGHTING FIXTURE TYPE A.

SEAL

THE SHAW-WATKINS PARTNERSHIP  
ARCHITECTS  
10 West Market Street, Suite 200, Philadelphia, PA 19103  
215.751.8001

Wiedmann - Ziegler Group, LLC  
1111 Chestnut Street, Suite 1000, Philadelphia, PA 19103  
215.426.2500

CSA CENTRAL, INC.  
1211 North Delaware Avenue, Suite 500, Philadelphia, PA 19103  
215.426.2500

E&M ENGINEERING, INC.  
228 PATENT AVENUE, SUITE 400, HENRICOVA VALLEY, PA 19008  
215.426.2500

SCHOOL & LOCATION  
Commodore John Barry Elementary School  
5900 Race Street, Philadelphia PA 19139

PROJECT TITLE  
NEW CONSTRUCTION

DRAWING TITLE  
FOURTH FLOOR PLAN LIGHTING

APPROVED BY

SCHOOL DISTRICT OF PHILADELPHIA  
THE SCHOOL REFORM COMMISSION

DEPARTMENT OF DESIGN AND CONSTRUCTION SERVICES

1400 ARCH STREET  
PHILADELPHIA, PA 19103  
(215) 400-7730 FAX (215) 400-4731

CONTRACTOR TO VERIFY ALL CONDITIONS AND DIMENSIONS AT SITE

NO.	DATE	REVISION
1	1/17/07	ADDITION No. 1

SPEC NO.  
B-840C of  
2005/06

DATE  
12/29/06

SCALE  
1/8"=1'-0"

LOCATION NO.  
120

DRAWN BY  
CDM

TYPE NO.  
-

CHECKED BY  
XXX

FILE NO.  
-

DRAWING NO.  
**E204**