4.2

6

7

C D E F G H

MATCHLINE
SEE DWG. W-15 FOR CONTINUATION

LEARN SUPPORT
403

VIEW "A"

VIEW "C"

OFFSET AROUND SANITARY

10 1/4"

7'-4 1/4"

3'-9 3/4"

1/2" DHW C/L 2'-3"

1/2" DHW C/L 4'-0"

1'-4 1/2"

7'-0"

1'-8 1/8"

90 DN.

3"xSLVE"
C/L 8'-10 3/8"

1'-4"

1/2" DCW C/L 8'-3"

1/2" DCW C/L 8'-10 3/8"

1/2" DCW C/L 1'-3"

1/2" DCW C/L 4'-0"

CUST.
418

DATA
419

ELEV

OFC
408

STOR
406A

DISPLAY

CORRIDOR
400A

1/2" DCW C/L 1'-0"

1/2" DHW C/L 1'-6"

3/4" CPVC GAS PIPE TO OUTLET

13'-4"

SCIENCE CLASSROOM
406

ELEC
420

LANDING
401

DN

SEE ISOMETRIC VIEW

CLOS

SEVENTH GRADE
400

VIEW "B"

SEVENTH GRADE
410

LOCATE VALVES IN FIELD FOR EASY ACCESS

8"

4'-10"

3"xSLVE"
C/L 10'-2"

1'-8 1/2"

4"xSLVE"
C/L 9'-10

10 1/2"

7'-4"

2'-0"

2'-4"

2'-10"

2'-6"

2'-2"

2'-11"

3'-0"

9'-0"

3/4" DHW C/L 10'-2"

2" DCW C/L 9'-10"

3"xSLVE"
C/L 10'-2"

4"xSLVE"
C/L 9'-10"

4 3/4"

3/4" DHW C/L 2'-5"

3/4" DCW C/L 1'-8"

2" DCW C/L 2'-9"

3/4" DCW C/L 3'-1"

10"

SLIP 45 ELL REQUIRED

1'-6"

6"

2'-11"

3/4" DCW C/L 2'-11" TYPICAL OF THREE URINALS

BOYS
421

SCIENCE STORAGE
406B

1" DCW C/L 2'-5"

2" DCW C/L 2'-9"

1" DCW C/L 2'-2"

SHOCK ABSORBER TYPE SA-C 1"

12'-5"

5'-1"

1'-10"

1'-6"

4 3/4"

1" DCW C/L 2'-5"

1" DCW C/L 2'-9"

SEE ISOMETRIC VIEW

SEE ISOMETRIC VIEW

SEE ISOMETRIC VIEW

SEE DWG. W-17 FOR CONTINUATION
MATCHLINE

AS-BUILT
9/19/97

BRINJAC, KASTIC AND ASSOCIATES, INC.
REVIEWED DATE: 3/24/98
BY: PMZ

TRACEY MECHANICAL, INC.
401 CITY LINE AVE.
SUITE 212
BALA CYNWYD, PA. 19004

JOB NAME: 6TH AND DUNCANNON

TITLE: PARTIAL 4TH FLOOR WATER & GAS SERVICES

DATE: 11/12/96
SCALE: 3/8" = 1'-0"
DRAWN: D.G.

DRAWING NO. W-16

NO.	REVISION	DATE	BY

H:\CAD\DWG\PW-16 Fri Sep 19 15:26:54 1997