MATCHLINE
SEE DWG. W-11 FOR CONTINUATION

LEARN. SUPPORT
305

VIEW "B"

SEE ISOMETRIC VIEW

CLOS

OFFSET AROUND SANITARY

CUST.
318

DATA
319

ELEV

KILN
306a

STOR
306b

DISPLAY

LANDING
301

SEE ISOMETRIC VIEW

ELEC
320

129.50

UP

DN

CLOS

BOYS
321

LOCATE VALVES IN FIELD FOR EASY ACCESS

APPROX. LOCATION OF VALVE/CHECK VALVE ASSEMBLY 3/4" DHWR

SERVICE PIPING OFFSETS UP 1'-2 3/4" AFTER CLEARING STEEL

SLIP 45 ELL REQUIRED

3/4" DCW C/L 3'-11" TYPICAL OF THREE URINALS

SHOCK ABSORBER TYPE SA-C 1"

135.73

HC

VIEW "A"

309

FOURTH GRADE

310

VIEW "D"

ART CLASSROOM
306

NOTE SERVICE PIPES OFFSET 1'-6" IN SHAFT TO AVOID DUCT PENETRATION

SEE ISOMETRIC VIEW

STORAGE
307

STORAGE
322a

2-76

RUN PIPE INSIDE CASEWORK TO 8" CENTERS @ C/L OF WASTE

SEE ISOMETRIC VIEW

VIEW "C"

CORRIDOR

LEARNING SUPPORT
322

MATCHLINE
SEE DWG. W-14 FOR CONTINUATION

SM-11 SM-12 SM-13 SM-14

AS-BUILT
9/19/97

BRINJAC, KEYSTONE AND ASSOCIATES, INC.
REVIEWED DATE: 3/24/98 BY: KMD

TRACEY MECHANICAL, INC.
401 CITY LINE AVE.
SUITE 212
BALA CYNWYD, PA. 19004

JOB NAME: 6TH AND DUNCANNON

TITLE: PARTIAL 3RD FLOOR WATER AND GAS SERVICES

NO.	REVISION	DATE	BY
1	RELOCATE RETURN LINE INTO SOFFIT	12-24-96	D.G.

DATE: 10/30/96
SCALE: 3/8" = 1'-0"
DRAWN: D.G.

DRAWING NO. W-12

N:\JOB\DWG\PW-12 Fri Sep 19 15:21:18 1997