



AS-BUILT

9/19/97

- PLUMBING NOTES
1. ALL DRAINAGE PIPE 4" AND LARGER PITCHES @ 1/8" PER FT. (UNO).
 2. ALL DRAINAGE PIPE 3" AND SMALLER PITCHES @ 1/4" PER FT. (UNO).
 3. ALL VENT PIPE PITCHES @ 1/16" PER FT. (UNO).
 4. PROVIDE CLEANOUTS AT THE BASE OF ALL SANITARY AND RAINWATER STACKS.

BRINJAC, HANCOCK AND ASSOCIATES, INC.
DATE: 3-24-98
REVIEWED BY: KMO

NO.	REVISION	DATE	BY
1	ADDED TRAP PRIMER PIPING	4/4/97	D.G.
2	MOVED 2" LINE-UP & VENT TO SHOWER COORDINATION	11/12/98	L.W.
1	DELETED 4" STORM, ADDED 2" SAN. TO 10/9/98	10/9/98	R.L.

TRACKEY MECHANICAL, INC.
401 CITY LINE AVE.
SUITE 212
BALA CYNWYD, PA. 19004
6TH AND DUNCANNON

BOILER ROOM
SANITARY & VENTING PIPING

DATE: 9-20-96
SCALE: 3/8" = 1'-0"
DRAWN BY: R.L.

P-2