SEE DWG. P-2 FOR CONTINUATION

MATCHLINE

PIPING IN THIS AREA (BOILER ROOM) IS SHOWN ON DWG. P-2

SEE DWG. P-3 FOR CONTINUATION

MATCHLINE

PIPE CHASE WALL MOVED 3" NORTH, SEE ASK. 8.4.

TOILET RM. WALL MOVED 3" EAST, WC AND LAV SWITCHED SIDES AS PER RFI RESPONSE.

SEE ISO VIEW "2"

SEE ISO VIEW "1"

RUN TRAP PRIMER PIPING UNDER FLOOR FROM ELECTRONIC TRAP PRIMER TO DRAINS

CENTER OF 3" SLV. 10'-3" FROM ELV. 104.00'

ISO VIEW 1

ISO VIEW 2

STAIRWAY CONTINUATION

SLEEVE COUNT

TAG	QUA.	SIZE	LENGTH
SL1	1	6"	0'-10 1/8"
SL2	8	6"	0'-8"
SL3	1	6"	0'-6 1/8"
SL4	3	6"	0'-6"
SL5	3	4"	0'-8"
SL6	1	4"	0'-9 3/8"
SL7	4	3"	0'-8"

PLUMBING NOTES

1. ALL DRAINAGE PIPE 4" AND LARGER PITCHES @ 1/8" per FT. (U.N.O.).
2. ALL DRAINAGE PIPE 3" AND SMALLER PITCHES @ 1/4" per FT. (U.N.O.).
3. ALL VENT PIPE PITCHES @ 1/16" per FT. (U.N.O.).
4. PROVIDE CLEANOUTS AT THE BASE OF ALL SANITARY AND RAINWATER STACKS.

AS-BUILT 9/19/97

BRINJAC, KAMBIC AND ASSOCIATES, INC.
REVIEWED DATE: 3/24/98 BY: KWL

NO.	REVISION	DATE	BY
4	ADDED TRAP PRIMER PIPING	4/4/97	D.G.
3	PIPE LOWERED STEEL CONFLICT	11/13/96	D.G.
2	SLEEVE DIM. CHANGE	10/4/96	R.L.
1	PIPING ADDED	9/23/96	R.L.
NO.	ADD SLEEVE INFO	9/19/96	L.W.

TRACEY MECHANICAL, INC.
401 CITY LINE AVE.
SUITE 212
BALA CYNWYD, PA. 19004

JOB NAME: 6TH AND DUNCANNON

TITLE: PARTIAL 1ST FLOOR SANITARY & VENTING

DATE: 7/30/96
SCALE: 3/8"=1'-0"
DRAWN: R.L.

DRAWING NO. P-4

C:\DWGS\P\P-4 Fri Sep 19 13:32:44 1997