



Philadelphia Department of Public Health Certification of School Lead Safe Status

By signing this certificate, I confirm that I have done a visual inspection of the areas where children have access, including contact surfaces where children store their equipment or materials, and confirm these areas do not have deteriorated lead-based paint. A certified risk assessor or lead dust sampling technician completed verification wipe tests in accordance with the EPA's RRP guidelines and confirms they meet the EPA's cleanliness standard. A certified risk assessor or lead dust sampling technician collected interior dust wipe samples in compliance with EPA regulations in work areas and confirms they did not contain lead contaminated dust in excess of EPA dust lead standards in Pre-K, Kindergarten, and 1st Grade classrooms as well as the restrooms, offices, cafeterias, gymnasiums, and auditoriums these children routinely occupy. This certificate is valid for 4 years from date of verification.

Gen. George G. Meade Elementary School

School Name

1600 N. 18th Street, Philadelphia, PA 19121

Street Address

Criterion Laboratories, Inc.

Certifying Company (print)

D-I-9014-18-747436

Risk Assessor, Lead Inspector PA Lic. #, EPA Firm Cert or Lead Dust Sampling Technician Cert #

Gina Fernandes

Inspector/Risk Assessor or Dust Wipe Sampling Technician Name (Signature)

May 25, 2019

Date of Verification

Edward Escobio, (215) 400-6235, Escobio, Edward <eescobio@philasd.org>

School Official Name, Telephone and E-mail Address